

In the Claims:

- 1.(previously presented) A method of absorbing water vapour and of combating malodour within a cavity, the method comprising the step of introducing into the cavity a package comprising a wall material which retains particulate contents and is permeable to water vapour, the contents comprising a composition selected from:
(a) a dehumidifying compound, an odour-combating compound, and a filler comprising starch or a starch derivative or cellulose or a cellulose derivative, and,
(b) a dehumidifying compound, an odour-combating compound, and a filler which acts as a thickener or gelling agent for the water inside the package wherein the cavity is the interior of an article of footwear or a storage space within an article of furniture.
- 2.(canceled)
- 3.(previously presented) A method according to claim 1 wherein the contents further comprise a filler which is an alkaline compound able to neutralise foot acids.
- 4.(previously presented) A method according to claim 3, wherein said alkaline compound is sodium bicarbonate.
- 5.(previously presented) A method according to claim 1 wherein the dehumidifying compound is capable of absorbing at least its own weight of moisture.
- 6.(previously presented) A method according to claim 1 wherein the dehumidifying compound is a water absorbing metal salt or oxide.
- 7.(previously presented) A method according to claim 6, wherein the dehumidifying compound is selected from calcium chloride and magnesium chloride.
- 8.(previously presented) A method according to claim 1 wherein the dehumidifying compound is present in an amount of at least 10wt% of the weight of the dry contents.

9. (previously presented) A method according to claim 1 wherein the dehumidifying compound is present in an amount of no more than 95wt% of the weight of the dry contents.
10. (previously presented) A method according to claim 1 wherein the odour-combating compound is a zeolite.
11. (previously presented) A method according to claim 1 wherein the odour-combating compound is present in an amount at least 0.5wt% of the weight of the dry contents.
12. (previously presented) A method according to claim 1 wherein the odour-combating compound is present in an amount of no more than 25wt% of the weight of the dry contents.
13. (previously presented) A method according to claim 1 wherein the filler comprises starch or a starch derivative.
14. (previously presented) A method according to claim 1 wherein the filler constitutes at least 10wt% of the weight of the dry contents.
15. (previously presented) A method according to claim 1 wherein the filler constitutes no more than 80wt% of the weight of the dry contents.
16. (previously presented) A method according to claim 1 wherein the contents further comprise a fragrance.
17. (cancelled)
18. (cancelled)

- 19.(original) A particulate composition comprising a dehumidifying compound, an odour-combating compound, and a filler comprising starch or a starch derivative or cellulose or a cellulose derivative, in admixture.
- 20.(original) A particulate composition comprising a dehumidifying compound, an odour-combating compound, and a filler which acts as a thickener or gelling agent for the water inside the package, in admixture.
21. (canceled)